

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 03/24/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/764,045	01/23/2004	Donald A. Blackwell	15436.229.1	7615
22913	7590 03/24/2005		EXAMINER	
WORKMAN NYDEGGER			PRASAD, CHANDRIKA	
•	RKMAN NYDEGGER	& SEELEY)	ADT LD IT	D. DED MIR (DED
60 EAST SOUTH TEMPLE			ART UNIT	PAPER NUMBER
1000 EAGLE GATE TOWER			2839	
SALTIAKE	CITY UT 84111			

Please find below and/or attached an Office communication concerning this application or proceeding.

Application/Control Number: 10/764,045 Page 2

Art Unit: 2839

#### **DETAILED ACTION**

#### **Drawings**

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the plurality of positions must be shown or the feature(s) canceled from the claims 6-10. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### Specification

2. The following is a quotation of an appropriate paragraph of 37 CFR 1.75:

Application/Control Number: 10/764,045 Page 3

Art Unit: 2839

(d) The claim or claims must conform to the invention as set forth in the remainder of the specification and the terms and phrases used in the claims must find clear support or antecedent basis in the description so that the meaning of the terms in the claims may be ascertainable by reference to the description. (See 1.58(a)).

- 3. Specification is objected under 37 C.F.R. 1.75(d) because the plurality of positions have not been described in the specification.
- 4. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

## Claim Objections

5. Claim 3 is objected to because of the following informalities: Line 2: "constrains" should be changed to -- constrain --.. Appropriate correction is required.

### Claim Rejections - 35 USC § 112

- 6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 7. Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 8. Claims 1 and 6 recite the second opposite end attached to the guide is not clear.

  The guide (the displaceable card guide) includes the base and the guide member as well as the retractable arms.
- 9. Claims 2 and 8 recite the lateral wall of the position which is not understood.

  Which position the extended position or the retracted position and what is meant by a lateral wall of the position.

Application/Control Number: 10/764,045 Page 4

Art Unit: 2839

10. Claim 3 recites inserted into the position which is not understood. Which position

- the extended position or the retracted position and what is meant by inserted into the

position.

11. Claims 6-10 are rejected under 35 U.S.C. 112, second paragraph, as being

incomplete for omitting essential structural cooperative relationships of elements, such

omission amounting to a gap between the necessary structural connections. See

MPEP § 2172.01. The omitted structural cooperative relationships are: relationship of

power supply to other limitations in the claim is missing.

12. Claim 9 recites received by the position which is not understood. Which position

- the extended position or the retracted position and what is meant by received by the

position.

Contact Information

13. Any correspondence to this action may be mailed to:

> **Commissioner for Patents** Post Office Box 1450

> Alexandria, VA 22313-1450

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Chandrika Prasad at (571) 272-2099. If attempts to

reach the examiner by telephone are unsuccessful, the examiner's supervisor can be

reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Primary examiner

March 16, 2005